



Potvrda o akreditaciji Accreditation Certificate

Ovime se utvrđuje da je

This is to recognize that

Agro Simpa d.o.o.

Laboratorij za ispitivanje meda

Stjepana Radića 107, HR-44250 Petrinja

osposobljen prema zahtjevima norme

is competent according to

HRN EN ISO/IEC 17025:2017

(ISO/IEC 17025:2017;

EN ISO/IEC 17025:2017)

za/to carry out

Ispitivanje meda

Testing of honey

u području opisanom u prilogu koji je sastavni dio ove potvrde o akreditaciji.

for the scope described in the annex which is the constituent part of this accreditation certificate.

Br./No.: 1742

Klasa/Ref.No.: 383-02/22-30/023

Urbroj/Id.No.: 569-02/3-26-3

Zagreb, 2026-01-07

Akreditacija istječe-Accreditation expiry: 2031-01-06

Prva akreditacija-Initial accreditation: 2026-01-07

HAA je potpisnica multilateralnog sporazuma s Europskom organizacijom za akreditaciju (EA)

HAA is a signatory of the European co-operation for Accreditation (EA) Multilateral Agreement

Ravnateljica:

Director General:

mr. sc. Mirela Zečević



Hrvatska akreditacijska agencija
Croatian Accreditation Agency

PRILOG POTVRDI O AKREDITACIJI br: 1742

Annex to Accreditation Certificate Number:

Klasa/Ref. No.: 383-02/22-30/023

Urbroj/Id. No.: 569-02/3-26-2

Datum izdanja priloga /*Annex Issued on:* 2026-01-07

Norma: HRN EN ISO/IEC 17025:2017

Standard: (ISO/IEC 17025:2017; EN ISO/IEC 17025:2017)

Akreditacija istječe: 2031-01-06

Accreditation expiry:

Prva akreditacija: 2026-01-07

Initial accreditation:

Akreditirani laboratorij

Accredited Laboratory

Agro Simpa d.o.o., Laboratorij za ispitivanje meda

Stjepana Radića 107

HR-44250 Petrinja

Područje akreditacije:

Scope of Accreditation:

Ispitivanje meda

Testing of honey

Važeće izdanje Priloga dostupno je na web adresi: www.akreditacija.hr /
Valid issue of the Annex is available at the web address: www.akreditacija.hr

Ravnateljica:

Director General:

mr. sc. Mirela Zečević

PODRUČJE AKREDITACIJE / SCOPE OF ACCREDITATION

| Br. No. | Materijali/Proizvodi <i>Materials/Products</i> | Vrsta ispitivanja/Svojstvo <i>Type of test/Property</i> Raspon/Range | Metoda ispitivanja <i>Test method</i> |
|----------------|--|--|---|
| 1. | Med Honey | Određivanje sadržaja vode <i>Determination of moisture</i> | Harmonised Methods of the International Honey Commission (2009) Metoda /Method 1 |
| 2. | | Određivanje električne vodljivosti <i>Determination of electrical conductivity</i> | Harmonised Methods of the International Honey Commission (2009) Metoda /Method 2 |
| 3. | | Određivanje hidrosimetilfurfurala (HMF) po Winkleru <i>Determination of hydroxymethylfurfural (HMF) after Winkler</i> | Harmonised Methods of the International Honey Commission (2009) Metoda /Method 5.3 |
| 4. | | Određivanje aktivnosti dijestaze po Schadeu <i>Determination of diastase activity after Schade</i> | Harmonised Methods of the International Honey Commission (2009) Metoda /Method 6.1 |